

GEVELOT OF CANADA LIMITED SASKATOON, SASKATCHEWAN





GEVELOT OF CANADA LIMITED


TELEPHONE 382-3151 AREA CODE 306 P.O. BOX 1593 SASKATOON. SASKATCHEWAN

Manufacturers of

- OLYMPIC
- LONG RANGE
- HI-VEL
- MAGNUM
- TARGET LOADS
- GEVARM RIFLES
- CENTRE FIRE
- RIM FIRE








THE STORY OF GEVELOT

Gevelot is a name that has been known to stand for quality ammunition and firearms for well over a century. In fact, Gevelot was founded in France in 1820 meaning they will be celebrating their 150th Anniversary in 1970. This all adds up to the fact, that Gevelot is one of the oldest, largest, and best known—ammunition manufacturers in Europe.

Gevelot expanded its operation to Canada in 1961, and since that time have continued to grow until they are now established as a definite force in the production of Sporting ammunition for the Canadian market.

Gevelot's quality control system, ballistics testing, patterning, pressure testing, and indeed every aspect of producing a quality shell, are exerted to assure you, the Canadian hunter, a truly fine product. Gevelot have not only established the "Olympic" shotshell as a necessary part of thousands of hunter's equipment, but have made great headway with the world famous line of Gevarm semi-automatic .22 rifles, until it is now probably the fastest selling semi-auto in Canada. Our line of .22 calibre ammunition is being used by greater numbers of plinkers and target shooters every year, and our Gevelot International Awards program is gaining popularity with more and more Boy Scout, 4-H Clubs, Service Clubs and Fish & Game shooting Clubs. Gevelot Centre fire ammunition, is now packed in a sensational new "Black Pack" box with a tough white cartridge caddy tray and this item alone is the talk of the industry.

All in all, Gevelot of Canada is on the upswing, and with the continued support of the multitudes of Canadian hunters, we look forward to years of progress with our great country Canada.







THOUSANDS OF CANADIAN HUNTERS HAVE RAVED ABOUT THE SENSATIONAL "BLACK MAGIC" GEVELOT SHOT SHELL. WELL... WAIT UNTIL THEY'VE TRIED OUR NEW GREEN MAGNUM. THIS IS THE ULTIMATE IN A MAGNUM LOAD SHELL, AND IT STILL PERFORMS LIKE "BLACK MAGIC".




FAST PROVING TO BE ONE OF THE MOST POPULAR SHELLS IN CANADA




WITHOUT A DOUBT, ONE OF THE FINEST SHELLS ON THE CANADIAN MARKET. THE OLYMPIC LONG RANGE HAS PROVEN ITSELF IN ALL WEATHER CONDITIONS FROM COAST TO COAST. THE CONSISTENT BALLISTIC QUALITIES OF THIS SHELL, ALONG WITH OUR SMOKELESS POWDER, THAT HARDLY CLOUDS YOUR BARREL, OFFERS THE CANADIAN HUNTER A REAL WINNER.





FAST PROVING TO BE ONE OF THE MOST POPULAR SHELLS IN CANADA




The 16 and 20 Gauge Olympic Long Range shot shells were introduced during the 1968 season in a tough new plastic tube. As with the big member of the family, the 12 Gauge, they met with instant popularity with hunters across Canada. Gevelot has built all the necessary features into the 16 and 20 Gauge that is so evident in the 12 Gauge. Olympic shells pack all the power necessary for shooting in all parts of Canada and you can be assured of peak performance with the whole Olympic line.

MPIC



OLYMPIC



OLYMPIC PLASTIC HI-VEL



PACK — 25 SHELLS
PER PACKAGE

CASE — 500 SHELLS
PER CASE

CASE WEIGHT — 55 LBS.

GAUGE — 12 GAUGE ONLY

SHOT SIZES BB, 2, 4, 5, 6, 7½

TUBE — WHITE RIBBED
PLASTIC

LENGTH — 2¾"

SHOT — 1½ OZ.

"EXTRA HARD"

GEVELOT OF CANADA P.O. Box 1593 SASKATOON, CANADA. Warehouses Across Canada.

ANOTHER ONE OF THE NEW MEMBERS OF THE GEVELOT FAMILY. NOT ONLY HAVE WE PUT OUR NEW HI-VEL SHELL IN A TOUGH DURABLE WHITE PLASTIC TUBE, BUT WE ARE PACKAGING THEM IN A BRAND NEW FOIL BOX OF 25 SHELLS. THE HI-VEL IS FOR THE HUNTER THAT PREFERS LIGHTER RECOIL, BUT STILL EXPECTS HIGH PERFORMANCE. A REAL FINE SHELL FOR BOTH UPLAND GAME AND WATERFOWL.

SHOOT WITH CONFIDENCE WITH THE NEW

OLYMPIC HI-VEL



"SHOOT THE BLACK PACK"

GEVELOT CENTRE FIRE CARTRIDGES


Gevelot of Canada Ltd. are proud to announce that their complete line of centre fire calibres (except .22 Hornet and .222 Rem) are now available in the sensational new "Black Pack" box with the tough white cartridge caddy liner. These trays are packed with the powerful, hard hitting Gevelot cartridges featuring the exclusive "controlled expansion Bullet" that can assure you of greater smashing power and superior accuracy.

We offer you 18 different popular calibres in 36 grain weights, and you can have the proper weight and type of bullet for your particular kind of game and area.

Make your next box of centre fire cartridges "Gevelot", you'll be glad you did.

- Maximum Power
- Made in Canada
- Exclusive "Controlled Expansion Bullet"







THINK BLACK THINK GEVELOT

HI-POWER CENTRE-FIRE CARTRIDGES!


Gevelot Centre Fire Cartridges are manufactured to exacting standards to meet the need of the Canadian Hunter, both in the field and on the range.

| Callbre | Bullet Type | Bullet Wt Grains | WY/Cane | | Pucking Box |
|--------------------|----------------|---------------------|---------|-----|----------------|
| 22 HORNET | PSP | 45 | 12 lbs. | 600 | 20 |
| 222 REM. | PSP | 50 | 14 lbs. | 600 | 20 |
| 222 REM. MAG. | PSP | 50 | 18 lbs. | 600 | 20 |
| 243 WINCHESTER | PSP | 87 | 20 lbs. | 400 | 20 |
| | SPE | 100 | 20 lbs. | 400 | 20 |
| 6 MM (244 REM.) | PSP | 87 | 20 lbs. | 400 | 20 |
| | SPE | 100 | 20 lbs. | 400 | 20 |
| 250 SAVAGE | SPE | 87 | 18 lbs. | 400 | 20 |
| | SPE | 117 | 19 lbs. | 400 | 20 |
| 6.5 x 55 SWEDISH | HP | 90 | 24 lbs. | 400 | 20 |
| | SPE | 156 | 24 lbs. | 400 | 20 |
| 270 WINCHESTER | SPE | 130 | 24 lbs. | 400 | 20 |
| | SPE | 150 | 24 lbs. | 400 | 20 |
| 7 x 57 MM MAUSER | SPE | 150 | 24 lbs. | 400 | 20 |
| | SPE | 175 | 26 lbs. | 400 | 20 |
| 30/30 WINCHESTER | SPE-FP | 150 | 21 lbs. | 400 | 20 |
| 30/30 WINCHESTER | SPE-FP | 170 | 21 lbs. | 400 | 20 |
| 300 SAVAGE | SPE | 150 | 22 lbs. | 400 | 20 |
| | SPE | 180 | 23 lbs. | 400 | 20 |
| 308 WINCHESTER | PSP | 150 | 23 lbs. | 400 | 20 |
| | SPE | 150 | 23 lbs. | 400 | 20 |
| | SPE | 180 | 24 lbs. | 400 | 20 |
| 30/06 SPRINGFIELD | PSP | 150 | 25 lbs. | 400 | 20 |
| | SPE | 150 | 25 lbs. | 400 | 20 |
| | SPE | 180 | 26 lbs. | 400 | 20 |
| | RP | 220 | 29 lbs. | 400 | 20 |
| 303 BRITISH | PSP | 150 | 27 lbs. | 400 | 20 |
| | SPE | 150 | 27 lbs. | 400 | 20 |
| | SPE | 180 | 28 lbs. | 400 | 20 |
| 8 x 57 J.S. MAUSER | SPE | 196 | 32 lbs. | 400 | 20 |
| 7MM REM. MAGNUM | SPE | 154 | 26 lbs. | 400 | 20 |
| 7MM REM. MAGNUM | SPE | 175 | 28 ibs. | 400 | 20 |
| 264 WIN. MAGNUM | PSP | 100 | 25 lbs. | 400 | 20 |
| 264 WIN. MAGNUM | PSP | 140 | 27 lbs. | 400 | 20 |
| 338 WIN. MAGNUM | SPE-RP | | 29 lbs. | 400 | 20 |
| 338 WIN. MAGNUM | SPE-RP | 250 | 32 lbs. | 400 | 20 |
| | | | | | |

BULLET DESCRIPTION

PSP Pointed Soft Point
SPE Soft Point Expanding
H.P. Hollow Point
SPE RP Soft Point Expanding Round Pt
SPE FP Soft Point Expanding Flat Pt

















GEVELOT CENTRE FIRE CARTRIDGES

- Non Corrosive Primer.
- Finest quality, close tolerance cartridge cases.
- Expanding, Soft Nose Bullets designed to assure maximum results.
- Scientifically measured power load assures balanced ballistics, high velocity, maximum impact and range.

The exclusive Gevelot Expansion Bullet has proven to exert more impact, insured more sure kills than any bullet ever presented to the Canadian hunter.



MODEL E1

HIGH PRECISION
NEW SEMI-AUTOMATIC
.22 L. R. CALIBRE RIFLE

Built on a new principle

- Without FIRING PIN
- Without EXTRACTOR
- No MISFIRES

DESCRIPTION

BARREL

"19½" barrel in high tensile steel to insure maximum durability. Specially shaped muzzle to give the greatest accuracy.

STOCK

Robust, made of first quality French walnut, carefully varnished. Pistol grip, reinforced butt plate.

SAFETY

To be in safety, pull knurled bolt handle fully to the rear and push in.

STEP REARSIGHT

Adjustable step rearsight. Post foresight.

REVERSIBLE SPRING GUIDE

Equipped to use high velocity 22 L.R. Ammunition.

8-SHOT HANDY ACCURATE HAND TOOLED


Made of the finest Grain French Walnut

Available with 20 Shot Clip











SELF LOADING RIFLES

- SAFE
- SIMPLE
- PRACTICAL
- ACCURATE

MODEL A-3 CALIBRE 22 LONG RIFLE

8 shot rimfire automatic loading carbine without firing pin or extractor. One piece receiver construction with cartridge ejection window. Fitted with a Mauser tangent sliding rear sight adjustable from 25 to 100 yards and a tunnel foresight for competition shooting. Special space provided for 4 interchangeable foresight reticules. Complete with standard 8 shot rifle clip.


MODEL A-7 CALIBRE 22 LONG RIFLE


The finest of a fine line offering the ultimate in precision and performance. Naturally it's "Target Grade". 8 shot rimfire automatic loading carbine. Fully closed breech with firing pin. Extractor and safety on the left hand side of action frame. Tapered barrel 21 inches long of special high tensile strength steel. Tangent, large surfaced, slidingrear sight graduated from 25 to 100 yards. Tunnel foresight with 5 interchangeable elements. French walnut stock with checkered pistol grip and fore-end. Easily dismantled and assembled. Complete with 8 shot long rifle clin

All Gevarm Rifles are grooved for scope mounting.











SELF LOADING RIFLES

MODEL A-6 22 CALIBRE 8 shot rimfire long rifle — annular percussion type — with movable breech adjusted to standard or high velocity cartridges. No firing pin — no extractor — fitted with calibrated rear sight and front sight. Easily dismantled and assembled. Barrel constructed of high resistant steel for maximum strength — Muzzle specially shaped to assure high precision firing. Complete with standard 8 shot long rifle clip.

AMMUNITION

Any good make of cal. .22 cartridges will function in .22 GEVARM rifles.


We however particularly recommend cal. .22 Long Rifle GEVELOT cartridges.

Note:- When firing High Velocity or very powerful cartridges it is advisable to increase the inertia of the breech bolt by reversing the position of the spring guide, i.e. by placing its rimmed-base end, in front, inside the rear-end cavity of the breech block.

Note: Model A3 and A6 rifles Serial #200,000 and over will now take a 20 shot clip magazine.











CARTRIDGES

"TARGET TESTED FIELD PROVEN"

Gevelot presents to both the expert and the amateur sportsman a complete range of cal. .22 rim fire cartridges which can satisfy every requirement in the use of single, repeating or automatic rifles, and ideally suited for precision shooting, either at targets or in the field. They combine to the greatest advantage: precision, velocity, range and penetration, to assure sportsmen of the maximum satisfaction.

.22 SHORT

Smokeless -Smokeless — non-corrosive primer, special lubrication. Ideal for medium range target and "plinking"

Bullet weight — 30 grs.

Packed 50 in box — 5,000 in a case

.22 LONG

Smokeless — non-corrosive primer, special lubricated bullet. Ideal for medium long range target and "plinking."

Bullet weight — 30 grs.

Packed 50 in box - 5,000 in a case

.22 LONG RIFLE

A special long range, high velocity cartridge, designed especially for maximum penetration using the finest in smokeless powder, lubrication and having a non-corrosive primer.

Bullet weight — 41 grs.

Packed 50 in box — 5,000 in a case

.22 LONG RIFLE H.P.

This cartridge is especially designed for maximum SHOCK POWER, without sacrificing long range and high velocity features. Incorporated as well, is the finest smokeless powder and lubrication and having a non-corrosive primer.

Bullet weight — 36 grs

Packed 50 in box - 5,000 in a case

.22 LONG RIFLE SPECIAL MATCH

Designed for the ultimate in accuracy. A specially selected cartridge for competition shooting, using the finest in materials and workmanship.


Bullet weight — 41 grs.

Packed 50 in box - 5,000 in a case










GEVARM


GEVARM SHOTGUNS

Gevelot of Canada Limited are proud to introduce the Gevarm Shotgun. These guns are manufactured in France by one of the most renowned gunmakers in Europe, and bear the Gevarm Trademark which in itself is synonomous with quality firearms. We are distributing four models of this gun and also carry complete stock of repair parts to meet any need. Whether you are a novice thinking about starting in on the tremendous sport of hunting, or an experienced nimrod wanting to add a lightning fast pump or semiautomatic to his gun rack, make your next shotgun the dependable, smooth looking, Gevarm Shotgun.

- 3 Year Guarantee
- Beautiful balance
- Stainless Receiver
- French Walnut Stocks









GEVARM SHOTGUNS

MODEL 856 P Repeating Pump

Gauge — 12 only

Barrel - 28" and 30" Chrome lined,

plain

Choke — Full & Modified

Capacity - 234" shells 4 shot (3 in Mag & 1 in chamber)

Weight - 6 lbs.

MODEL 856 VR Repeating Pump

Same as above only with ventilated rib barrel

MODEL 920 P Gas operated Autoloading shotgun

Guage — 12 only

Barrel - 28" & 30" chrome lined, plain

Choke — Full & Modified

Capacity — 23/4" shells 3 shot

Weight - 61/2 lbs.

MODEL 920 VR Gas operated **Autoloading Shotgun**


Same as 920 P only with ventilated rib barrel














- 1. Large objective lens gives extra wide field for following game.
- 2. Neoprene gas and moisture seals cushion lenses.
- 3. Air spaced lenses for undistorted field and photographic clarity.
- 4. Coated optical elements.
- 5. Reticle always centered.
- 6. Neoprene seals on adjusting knobs.
- 7. Anodized scratch and mar resistant finish.
- 8. Reticles will not enlarge when power is increased.
- 9. Fingertip control of power selector, Image always in focus.
- 10. Individual eye focus allows maximum clarity.
- Screw on duraluminum lens caps provide maximum protection in storage and transportation.
- Double wall construction assures continued performance if exterior tube damaged.
- Hard clock spring steel tension arm assures indefinite rifle zero regardless of use.


All scopes available with cross hair or post-cross hair.



Gevelot Scope Specifications

| TYPE | 3X - 9X VARIABLE | | | | | | 4X | 6X | |
|--|---|----------|----------|----------|----------|----------|----------|----------|----------|
| Magnification | 3X | 4X | 5X | 6X | 7X | 8X | 9X | 4X | 6X |
| Objective Aperture | 38mm | 38mm | 38mm | 38mm | 38mm | 38mm | 38mm | 32mm | 32mm |
| Eyepiece Aperture | 32mm | 32mm | 32mm | 32mm | 32mm | 32mm | 32mm | 32mm | 32mm |
| Optical Elements | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 9 | 9 |
| Field view @ 100 yards | 41 ft. | 32.5 ft. | 23.5 ft. | 21.5 ft. | 18.2 ft. | 15.5 ft. | 13.8 ft. | 30 ft. | 20 ft. |
| Exit Pupil | 12.7mm | 9.5mm | 7.6mm | 6.3mm | 5.4mm | 4.8mm | 4.3mm | 8mm | 5.3mm |
| Eye Relief | 3½ in. | 3½ in. | 3½ in. | 3½ in. | 3½ in. | 3½ in. | 3½ in. | 3½ in. | 3½ in. |
| Tube Diameter | 1 in. | 1 in. | 1 in. | 1 in. | 1 in. | 1 in. | 1 in. | 1 in. | 1 in. |
| Overall Length | 12½ in. | 12½ in. | 12½ in. | 12½ in | 12½ in. | 12½ in. | 12½ in. | 11½ in. | 12¾ in. |
| Net Weight Oz. | 14.5 | 14.5 | 14.5 | 14.5 | 14.5 | 14.5 | 14.5 | 9.5 | 10.5 |
| Internal windage and elevation adj. @ 100 yards | ½ in. | ⅓ in. | ¼ in. | ⅓ in. | 1/4 in. | ⅓ in. | ⅓ in. | ⅓ in. | ½ in. |
| Outside Dia. Obj. Housing | 1¾ in. | 1¾ in. | 1¾ in. | 1¾ in. | 1¾ in. | 1¾ in. | 13/4 in. | 1½ in. | 1½ in. |
| Outside Dia. of eyepiece housing | 1½ in. | 1½ in. | 1½ in. | 1½ in. | 1½ in. | 1½ in. | 1½ in. | 13/8 in. | 13/8 in. |
| Relative brightness | 157 | 90 | 58 | 40 | 29.5 | 22.5 | 18 | 64 | 38.5 |
| Crosshair reticle subtends @ 100 yards | 1 in. | .75 in. | .60 in. | .50 in. | .43 in. | .375 in. | .33 in. | .84 in. | .62 in. |
| Finish | Anodized scratch and mar resistant high lustre black | | | | | | | | |
| Reticle | All scopes available with crosshair or post-cross hair. | | | | | | | | |

BUY GEVELOT



QUALITY FIRST



Gevelot .22 Scopes

Gevelot .22 Scopes are built for rugged dependable use. This .22 Zoom Scope features hand ground coated lenses, micrometer adjustments for elevation and windage. Nitrogen filling sealed in by neoprene "O" rings, fingertip power control, individual eye adjustment, generous eye relief and field of view, and versatile two piece high mount.

This scope has many features normally found only in high priced hunting scopes. These include coated optics, nitrogen filled, constantly centred crosshairs, rugged construction.

SPECIFICATIONS

 Magnification
 3x - 7x 20
 4X 20

 Field @ 100 yds.
 32 ft. x 18 ft.
 31 ft.

 Eye Relief
 2.75 in. - .75 in.
 2.35 in.

 Tube Diam.
 .75 in. - .75 in.
 .75 in.

 Reticle
 Cross Hair Only

3X - 7X 20 ZOOM SCOPE



4 x 20



GUARANTEE

GEVELOT'S rifle scopes are guaranteed for the life of the scope against defective materials or workmanship. Repair or replacement will be made at no charge when returned to us.







GEVELOT

International Canadian Awards

One of the fastest growing sports in Canada today is Target shooting. For several years now, Gevelot has sponsored the Gevelot International Canadian Awards program. We are most pleased that more and more Rifle, Fish & Game, 4H Clubs, Boy Scouts, and Service Clubs of all descriptions are participating in our program. Our system of awards is for Sporting, Small Bore and Free Rifle and comprises of Crests, Lapel pins and Medallions. We at Gevelot are anxious to help your group compete and full information as to rules and regulations can be obtained by writing to the following address.

GEVELOT OF CANADA LIMITED

P.O. BOX 1593 SASKATOON, SASKATCHEWAN





















ONE PICTURE IS WORTH 10,000 WORDS

DRESS UP **YOUR ADS**

WITH THESE FREE GEVELOT PRODUCT & TRADE MARK CUTS

Mats and stereos are available without charge for use in dealer advertising. These illustrations may also be used in mailing pieces, catalogue pages and other printed matter.







ORDER FORM **GEVELOT OF CANADA LIMITED** P.O. Box 1593 — Saskatoon, Sask. PLEASE SUPPLY: STEREO MAT

GAB 2

GAS 1

OF OLB 2 OLB 1

TRB 2 TRB 1 LRB 2 A 322 ☐ E 122

OLS 2

OLS 1 ☐ TM 2 ☐ TM 1

GAS 2

NAME

ADDRESS

ASSOCIATED WITH GEVELOT, S.A. PARIS, FRANCE



TELEPHONE: OFFICE 306 - 382-3151 CABLES: **GEVELOT SASKATOON**


FACTORY - SASKATOON

OF CANADA LTD. SASKATOON, SASKATCHEWAN ARMS AND AMMUNITION MANUFACTURERS

"GEVARM" RIFLE PARTS

MODEL E 1

Calibre 22 Long Rifle, 8 Shot



- 1 ... BARREL
- 2 ... POST FORESIGHT

REARSIGHT COMPLETE

- Rearsight slide elevator.
- ... Rearsight base.
- 5 ... Rearsight.
- 6 ... Rearsight fixing screw.

7 ... RECEIVER FRAME

- Breech block.
- Breech block return main spring.
- 10 ... Breech block return main spring guide.
- ... Cocking handle.
 ... Heli coil (lock washer).

TRIGGER GUARD COMPLETE

- Trigger guard (frame only).
- 13 ... Trigger guard (f 14 ... Magazine catch.
- 15 ... Breech block catch.
- Breech block catch spring.
- 17 Breech block catch retaining pin.
- Pins (3) for breech block catch and trigger guard frame.
- 19 Sear.
- Pins (3) for sear and trigger. 20 ...
- Trigger.
- Trigger spring.
- 23 ... Trigger spring plunger.
- Two stage trigger sear.
- Trigger adjusting screw.
- Trigger adjusting lock spring
- 27 Trigger sear pin for n° 24.
- Springs (3) for magazine and breech block catch and trigger sear.

MAGAZINE COMPLETE

- 29 ... Magazine body
- 30 ... Magazine spring (8 shot).
- ... Magazine platform.
- 32 ... Magazine bottom plate.

WALNUT STOCK COMPLETE

- Walnut butt stock only.
- Butt screw.
- 35 ... Washer for nº 34.
- Nut for n° 34.
- 37 Pistol grip cap.
- Pistol grip cap screw.
- Butt plate.
- 40 Butt plate screws (2).

FOREHAND WALNUT

- Forehand only.
- 42 Washers (2) for n° 43.
- Fixing screews (2) forehand on barrel.
- Takedown bolt fixing forehand on action frame.
- Knurled dismantling nut.
- 46 ... Star lock washer.

E 1 RIFLE PARTS & PRICE LIST

EFFECTIVE JANUARY 1970

| PART NO. | DESCRIPTION | SUGGESTED LIST PRICE | | |
|----------|--|-------------------------|--|--|
| 1 | Barrel | 16.95 | | |
| 2 | Post foresight | 1.50 | | |
| - | Rearsight complete | 1.25 | | |
| 3 | Rearsight slide elevator | .25 | | |
| 4 | Rearsight base | .50 | | |
| 5 | Rearsight | .25 | | |
| 6 | Rearsight fixing screw | .20 | | |
| 7 | Receiver frame | 6.00 | | |
| 8 | Breech block | 3.00 | | |
| 9 | Breech block return main spring | .25 | | |
| 10 | Breech block return main spring guide | .50 | | |
| 11 | Cocking handle | .50 | | |
| 12 | Heli coil (Lock washer) | .15 | | |
| 13 | Trigger guard (Frame only) | 2.00 | | |
| 14 | Magazine catch | .50 | | |
| 15 | Breech block catch | .50 | | |
| 16 | Breech block catch spring | .20 | | |
| 17 | Breech block catch retaining pin | .20 | | |
| 18 | Pins (3) for breech block catch and trigger guard frame | .20 | | |
| 19 | Sear | 1.50 | | |
| 20 | Pins (3) for sear & trigger | .20 | | |
| 21 | Trigger | 1.50 | | |
| 22 | Trigger spring | .20 | | |
| 23 | Trigger spring plunger | .20 | | |
| 24 | Two stage trigger sear | .20 | | |
| 25 | Trigger adjusting screw | .20 | | |
| 26 | Trigger adjusting lock spring | .20 | | |
| 27 | Trigger sear pin for No. 24 | .20 | | |
| 28 | Springs (3) for magazine and breech block catch and trigger sear | .20 | | |
| ·- | Magazine complete | 6.95 | | |
| 29 | Magazine body | 2.00 | | |
| 30 | Magazine spring (8 shot) | 1.00 | | |
| 31 | Magazine platform | 1.00 | | |
| 32 | Magazine bottom plate | 1.00 | | |
| 33 | Walnut butt stock only | 12.95 | | |
| 34 | Butt screw | .20 | | |
| 35 | Washer for No. 34 | .20 | | |
| 36 | Nut for No. 34 | .20 | | |
| 37 | Pistol grip cap | .20 | | |
| 38 | Pistol grip cap screw | .20 | | |
| 39 | Butt plate | .50 | | |
| 40 | Butt plate screws (2) | .50 | | |
| 41 | Forehand only | 5.00 | | |
| 42 | Washers (2) for No. 43 | .20 | | |
| 43 | Fixing screws (2) forehand on barrel | .20 | | |
| 44 | Takedown bolt fixing forehand on action frame | .50 | | |
| 45 | Knurled dismantling nut | .20 | | |
| 46 | Star lock washer | .20 | | |

ASSOCIATED WITH GEVELOT, S.A. PARIS, FRANCE





TELEPHONE: OFFICE 306 - 382-3151 CABLES: GEVELOT SASKATOON

FACTORY - SASKATOON

OF CANADA LTD. SASKATOON, SASKATCHEWAN ARMS AND AMMUNITION MANUFACTURERS

MODELS A 3 AND A 6

GEVARM RIFLE PARTS

Calibre 22 Long Rifle, 8 Shot

- 1. BARREL.
- Assembly screw.
- 3. Barrel retaining pin.

FORESIGHT (complete) with reticules.

- 4. Foresight element retainer.
- Foresight base.
- Foresight flxing pin.
- Foresight fixing screw.
- 8. Reticule (cross).
- 9. Reticule (half disc).
- Reticule (bead). 10.
- Reticule (post). 11.
- Reticule (peep).

REARSIGHT (complete).

- 13. Rearsight slide ball bearing.
- Spring for Nº 13.
- Rearsight slide.
- 16. Rearsight slide fixing screw.
- Rearsight lateral adjustment slide.
- bis. Rearsight vertical adjustment slide.

- Screws (two) for lateral adjustment slide. 18.
- Screws (two) for vertical adjustment slide. 19.
- Rearsight base. 20.
- Rearsight elevator
- Rearsight elevator spring.
- 23. Axis pin for Nº 21.
- 24. Rearsight fixing pin.
- Rearsight fixing screw on barrel. 25.
- ACTION FRAME.
- Action frame cap.
- 28. Breech block.
- 29. Recoil spring.
- Main spring guide. Knurled bolt knob. 30.
- 31.
- bis. Reinforcing nut.

TRIGGER GUARD (complete).

- Trigger guard (frame only).
- 33. Magazine catch.
- 34. Pin for magazine catch.
- 35. Magazine catch spring.
- 36. Sear.


- Upper rear pin. Lower rear pin.
- 39. Sear spring.
- 40. Trigger.
- Trigger regulating screw. 41.
- Trigger axis pin. 42.
- 43. Trigger spring.
- Trigger assembly fixing screw.
- Lock nut (Trigger action adjusting).

MAGAZINE (complete).

- 46. Magazine case.
- 47. Magazine spring.
- 48. Magazine platform.
- 49. Magazine bottom plate.

WALNUT STOCK (complete).

- Walnut stock (only).
- Knurled dismantling nut.
- 52. Split ring for Nº 51.
- 53. Bush for Nº 51.
- Foresight element box, in grip. 54.
- 55. Foresight element cover.



MODELS A3 AND A6 RIFLE PARTS AND PRICES

EFFECTIVE JANUARY 1970

| PART NO. | DESCRIPTION | SUGGESTED LIST PRICE |
|---------------|--|-------------------------|
| 1, 2, 3, & 26 | Barrel assembly | 30.00 |
| 2 | Assembly screw | .50 |
| 4 | Element retainer | .50 |
| 5 | Foresight bse | 2.50 |
| 6 | Foresight fixing pin | .15 |
| 7 | Foresight fixing screw | .50 |
| 8 | Reticule cross | .15 |
| 9 | Reticule half disc | .15 |
| 10 | Reticule bead | .15 |
| 11 | Reticule post | .15 |
| 12 | Reticule ring | .15 |
| 13 | Rearsight ball | .15 |
| 14 | Rearsight ball spring | .15 |
| 15 | Rearsight slide | 1.00 |
| 16 | Rearsight fixing screw | 1.50 |
| 17 | Rearsight lateral adjustment slide | 1.50 |
| 17 bis. | Rearsight vertical adjustment slide | .50 |
| 18 | Screws (2) for lateral adjustment slide | .15 |
| 19 | Screws (2) for vertical adjustment slide | .15 |
| 20 | Rearsight base | 1.50 |
| 21 | Rearsight elevator | 1.50 |
| 22 | Rearsight elevator spring | .15 |
| 23 | Rearsight axis pin | .15 |
| 24 | Rearsight fixing pin | .15 |
| 25 | Rearsight fixing screw | .15 |
| 27 | Action frame cap | 1.50 |
| 28 | Breech block | 3.00 |
| 29 | Recoil spring | .75 |
| 30 | Recoil spring guide | .75 |
| 31 | Bolt knob | .50 |
| 31 bis. | Reinforcing nut | .15 |
| 32 | Trigger frame | 5.00 |
| 33 | Magazine catch | 1.25 |
| 34 | Magazine catch pin | .15 |
| 35 | Magazine catch spring | .15 |
| 36 | Sear | 1.50 |
| 37 & 38 | Rear pins | .15 |
| 39 | Sear spring | .15 |
| 40 | Trigger | 1.50 |
| 41 | Trigger regulating screw | .15 |
| 43 | Trigger spring | .15 |
| 44 | Trigger assembly screw | .25 |
| 45 | Trigger bar | .50 |
| 45A | Trigger bar spring | .15 |
| 45B | Trigger regulating screw spring | .25 |
| 45C | Trigger bar pin | .15 |
| audior | Magazine complete | 6.95 |
| 50 | Stock | 25.00 |
| 51 | Dismantling nut | .50 |
| 52 | Dismantling split ring | .15 |
| 53 | Dismantling bushing | .50 |
| 54 | Foresight element box | .50 |
| 55 | Foresight cover | .14 |
| | | |

FACTORY - SASKATOON





TELEPHONE:
OFFICE 306 - 382-3151
CABLES:
GEVELOT SASKATOON

OF CANADA LTD.


SASKATOON, SASKATCHEWAN

ARMS AND AMMUNITION MANUFACTURERS

MODEL A7 GEVARM RIFLE PARTS AND PRICE LIST

EFFECTIVE JANUARY 1970

SUGGESTED



| | PART NO. | DESCRIPTION | LIST PRIC | E |
|-----------|---|--|--|---|
| GROUP No. | 701 702 703 704 705 706 707 708 709 | Walnut Butt stock only Butt Plate Butt Plate Screw Breech Block Catch Retaining Pin Foresight Element Cover Foresight Element Box Barrel Action Frame Action Frame Cap | 25.00 1.00 .25 .25 .25 .35 16.95 4.95 1.00 | |
| GROUP No. | 710 711 712 713 | Assembly Screw Bushing for No. 713 Split Ring for No. 713 Knurled Dismantling Nut | .25 .50 .15 .50 | |

| GROUP No. 3 | 3-700 714 715 716 717 718 719 720 721 722 | Foresight Complete C/W Reticules Foresight Fixing Screw Foresight Fixing Pin Foresight Base Foresight Element Retainer Post Reticule Cross Reticule Peep Reticule Bead Reticule Half Disc Reticule | | 3.50 .50 .15 1.00 1.00 .25 .25 .25 .25 |
|-------------|--|---|--|--|
| GROUP No. 4 | 723 724 725 726 | Magazine Complete for A7 Case Platform Spring Bottom Plate | | 4.95 2.00 1.00 1.00 .50 |
| GROUP No. 5 | 5-700 727 728 729 730 731 732 733 734 735 736 737 738 739 740 | Rearsight Complete Rearsight Base Rearsight Elevator Rearsight Lateral Adj. Slide Rearsight Vertical Adj. Slide Screw for Vertical Adj. Slide (2) Rearsight Slide Rearsight Slide Fixing Screw Rearsight Slide Ball Bearing Spring for No. 734 Rearsight Fixing Pin Rearsight Fixing Screw on Barrel Axis Pin for No. 727 Screws for Lateral Adj. Slide (2) Rearsight Elevator Spring | | 7.95 .50 .50 .25 .25 .25 .25 .25 .25 .15 .15 .15 |
| GROUP No. 6 | 741 742 743 | Safety Lock Safety Lock Spring Plate Safety Lock Screw | | .25 .25 .25 |
| GROUP No. 7 | 744 745 746 747 | Extractor Extractor Pin Extractor Spring Cocking Handle | | .40 .25 .25 .50 |
| GROUP No. 8 | 748 749 750 751 752 753 754 | Breech Block Recoil Spring Firing Pin Recoil Hammer Spring Guide Extractor Spring Counterweight | | 3.00 .25 .50 .50 .50 .25 |
| GROUP No. 9 | 9-700 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 | Trigger Guard Complete Trigger Guard Frame Magazine Catch Spring Magazine Catch Pin for Magazine Catch Spur Nut Trigger Assembly Fixing Screw Upper Rear Pin Lower RearPin Sear Sear Spring Crank Arm Crank Arm Spring Crank Arm Pin Trigger Ball Bearing Bit Pin Trigger Stabalize Pin Trigger | | 8.95 3.00 .25 .25 .15 .15 .15 .15 .25 .25 .25 .25 .15 .15 |
| | 772 773 774 775 | Bit spring Bit Bit Adj. Lock Spring Bit Fixing Screw | | .25 .25 .15 .15 |
| | | | | |



Shoot with Confidence with Olympic Shot shells





- Carry only empty guns taken down, or with action open, into camp, house, or boat.
- Always be sure that barrel and action are clear of obstruction particularly after a fall, or if gun has been dropped.
- Carry your gun with the safety on keep your finger away from trigger.
- Unload gun before climbing a fence or obstacle, it only takes a few seconds, and could save a life.

- of the direction of the muzzle.
- Be doubly sure of your target never shoot at a sound - or brush movement.
- Never point a firearm at anything you don't want to shoot.
- Never leave a gun unattended unless you unload it first. Be sure it cannot fall.
- Never mix gunpowder and alcohol.



CANADIAN SALES AGENTS

For your information we list the names and addresses of the Sales Agents representing our Gevelot products across Canada. All of these well known reliable firms are eager to serve you, and complete information can be obtained from them.

ATLANTIC PROVINCES

A. G. Brown and Son Limited 3500 Kempt Road HALIFAX, Nova Scotia

LAKEHEAD

Tees and Persse Limited P.O. Box 385 Postal Station F Thunder Bay, Ontario

SASKATCHEWAN

Tees and Persse Limited 331 First Avenue North SASKATOON, Saskatchewan Tees and Persse Limited 1455 Rose Street REGINA, Saskatchewan

BRITISH COLUMBIA

Tees and Persse Limited 1080 Hamilton Street VANCOUVER 3, British Columbia

GEVELOT OF CANADA LIMITED

Office and Factory of Gevelot of Canada are located at Saskatoon, Sask.

P.O. Box 1593 — SASKATOON, Saskatchewan -- Phone 382-3151 - Area Code 306

QUEBEC AND ONTARIO

B. & G. Marketing Services of Canada Ltd. P.O. Box 82 ORILLIA, ONTARIO

MANITOBA

Tees and Persse Limited 315 William Avenue WINNIPEG 2, Manitoba

ALBERTA

Tees and Persse Limited 325 - 10th Avenue S.E. CALGARY 21, Alberta

Tees and Persse Limited 10262 - 107th Street EDMONTON, Alberta

